

# tesa® 4576 PV0



# **Product Information**

Venting tape

#### **Product Description**

tesa<sup>®</sup> 4576 is a highly elastic single sided adhesive tape. It consists of a PET/cellulose non-woven fabric coated with an acrylic adhesive.

Its high gas permeability through the adhesive and non woven carrier makes it the ideal barrier solution for any kind of foaming processes.

Features:

- gas permeable backing and adhesive
- low unwinding force
- conformable and elastic
- moisture resistant
- waterproof
- ageing-resistant

#### **Product Features**

- The excellent barrier against foam leakage makes this tape a best seller in the market
- A certain air permeability allows the foam to expand while the tape will cover venting holes
- Is highly conformable to shaped structures
- Unwinds gently to avoid curling which makes the handling easier in order to reduce process time
- Easily torn by hand for an increased working efficiency
- Ageing-resistant design
- Certification according to UL 94 HB flame rating

#### **Application Fields**

- Venting tape for foaming processes e.g. refrigerators
- Suitable for applications in the automotive industry, e.g. production of dashboards

#### Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

#### **Product Construction**

•	Backing	non-woven	•	Color	white
•	Type of adhesive	acrylic	•	Thickness of tape	_NULL μm
•	Total thickness	140 μm			



# tesa® 4576 PV0

## **Product Information**

### **Properties/Performance Values**

<ul> <li>Elongation at break</li> </ul>	17 %	• H	and tearabilit
Tensile strength	10 N/cm	• Lo	ow unwinding
<ul> <li>Ageing resistance (UV)</li> </ul>	very good	• 0	peration tem
Air permeability	6 cm <sup>3</sup> /cm <sup>2</sup> xs	• S	olvent free
Adhesion to Values			

### Adhesion to Values

٠	ABS (initial)	2.2 N/cm
•	PE (initial)	0.8 N/cm

٠	Hand tearability	good
•	Low unwinding force	good
•	Operation temperature up to	160 °C
•	Solvent free	yes
•	PS (initial)	2 N/cm

Steel 1 N/cm

## Disclaimer

tesa<sup>®</sup> products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa<sup>®</sup> product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit http://l.tesa.com/?ip=04576