

Full plate mounting assortment and expert consultation for flexible packaging printing

Your partner for all adhesive needs in flexographic printing

Our purpose is to make life easier in the plate mounting world with advanced adhesive technologies and a global team of flexo experts. Through collaboration, we help to optimize your production line by saving you time, money, and resources.


Our comprehensive assortment of truly dependable self-adhesive plate mounting tapes and sleeves allows us to provide unbiased consultations.

We have been a reliable partner to the flexo printing industry for decades and together, we will find the solution that works best for you!



What is best for your plate mounting needs?

tesa® Twinlock self-adhesive sleeves or tesa® Softprint self-adhesive tapes? Possibly a combination of both? Here are some main influencing factors for your decision:



- 'Sustainability' key decision driver within company
- Resources available for initial investment
- **Recurring repeats**


Combination

Possibly, a combination of both solutions might work best for you

tesa® Softprint

- **High flexibility** for different print motifs and working environments needed
- Technology change currently not in scope
- · Many different repeats that are rarely used

Our complementary products for flexographic printing













Recommended for tesa® Softprint SLM, TP, TP-X, and STM



(2)	Ed	lge	seal	ling

tesa®	60404

Single-sided tape for safe bond on a variety of materials



Single-sided tape with high flexibility




Roller wrapping

tesa® Printer's Friend 4863

Anti-slip silicone tape with embossed surface

tesa® Printer's Friend 4563

Anti-slip silicone tape with smooth surface



Core starting

tesa® 60404

Single-sided tape for safe bonding on paper and PE cores

tesa® 51194

Splittable double-sided tape for flying splice labelling

tesa® 51904 tesa® 52307 Double-sided tape with high tack and adhesion

Double-sided tape for easy release



5 Failure flagging & end tabbing

Different tape colors available, safe bond on a variety of materials



Additional tools

tesa® 60404

tesa® 52064

Plate cleaning roller

tesa® 52065

Rubber mounting roller (standard)

For information on our static and flying splicing solutions please visit www.tesa.com/print


tesa® Twinlock – our reusable plate mounting sleeve

tesa® Twinlock is our self-adhesive and compressible plate mounting sleeve. It is designed for reusability, and the printing plate can be directly mounted on the self-adhesive sleeve surface. After printing and plate removal, the tackiness can simply be re-activated and the sleeve is ready for the next job. When proper cleaning and handling procedures are observed, tesa® Twinlock can be used over and over again.

We offer:

- Three hardness levels (soft, medium, hard)
- · Different thickness coating layers to deliver a sleeve that fits your needs
- Objective consultations to evaluate whether tesa® Twinlock is the right fit for you
- Automated solutions for the tesa® Twinlock activation process step

tesa® Twinlock is made up of the same type of base sleeve you are already using. Choose your favorite sleeve type to which we add a layer of polyurethane (PU) foam, a stabilization film layer, and then a layer made from a polymer that is formulated to retain its adhesive qualities. In other words, it is permanently tacky.



Benefits of tesa® Twinlock



Reaching sustainability targets

Why? Because you can reduce your carbon footprint by eliminating the waste caused by plate mounting tape and the corresponding emissions caused by frequent tape shipments.



Cost and time savings

Why? Because you won't be buying, storing, mounting, and de-mounting a variety of tapes any longer. The initial investment in tesa® Twinlock sleeves will pay back in no time!



Why? Because our high-quality product design and exceptional production standards ensure precise and stable printing. Long runs, high speeds, perfect register? Not a problem at all!



tesa® Twinlock assortment

Product	Foam	Color code	Print motif
tesa® Twinlock soft sleeve	Polyurethane	White	
tesa® Twinlock medium sleeve	Polyurethane	Green Blue	******
tesa® Twinlock hard sleeve	Polyurethane	Black	

85% of all the sleeves we produce are of medium hardness. The other 15% is equally divided between soft and hard PU foam hardnesses.


Product	Description		
tesa® 74100	tesa® Twinlock activator for manual activation, 5 liters		
tesa® 74120	tesa® Twinlock activator 2.0 for Twinlock Activation Machine (TAM), 5 liters		
tesa® 60111	Primer pen transparent, 40 ml		
tesa® 74140	Fine cleaning cloth for manual cleaning with supportive block		
tesa® 74130	Medium cleaning cloth for TAM		
tesa® 52065	Rubber mounting roller (standard)		
tesa® 74165	Rubber mounting roller (for thick plates > 2.4 mm)		

tesa® Softprint – full assortment of tailored plate mounting tapes

tapes, which we are constantly evolving in order to fulfill all market needs.

The tapes provide the highest levels of both print quality • We are the only supplier in the market offering two and process efficiency. No matter the age or type of your equipment, what you are printing, which plates, sleeves, or cylinders you are using - your perfect tape fit can be found • Experience our tesa® Softprint easy application (EA) liner within our assortment!

- tesa® Softprint is our well-proven family of plate mounting One of our state-of-the-art adhesives will match your requirements exactly
 - Depending on your print motif, one of our tailored foam hardnesses will ensure best results
 - designs: 'Classic' and 'Flex', to cater for all sleeve types and handling needs
 - for extra smooth mounting: The structured liner creates micro channels in the adhesive to help air escape during the mounting and printing process. Available for selected products - please contact us for more information.




Classic product design

PET reinforcement film leads to stable tape design and easy tape demounting

Flex product design

PE reinforcement layers lead to flexible tape design which supports excellent conformability on various sleeve surfaces (e.g. thin walled or scratched sleeves)



tesa® Softprint 500 μm/20 mil category

		X-Soft	Soft	Medium	Medium-Hard	Hard	X-Hard
Product line	Product design		***************************************	*****	***	***************************************	
tesa® Softprint STM	Classic	-	72022	72024	72026	72028	-
tesa® Softprint TP	Classic	-	72122	72124	72126	72128	72129
tesa Sonprint 1P	Flex	-	73122	73124	73126	73128	-
tesa® Softprint SLM	Classic	72220	72222	72224	72226	72228	-
tesa® Softprint TP-X	Classic	-	72322	72324	72326	72328	-
tesa° sortprint 17-X	Flex	-	73322	73324	73326	73328	-
toco® Softwint EE	Classic	72420	72422	72424	72426	72428	-
tesa® Softprint FE	Flex	-	73422	73424	73426	73428	-
toco® Softmuint EE V	Classic	-	72522	72524	72526	72528	-
tesa® Softprint FE-X	Flex	-	73522	73524	73526	73528	-
tesa® Softprint SEC-X	Classic	-	72722	72724	72726	72728	-

Product line	Medium	Product explanation
tesa® Softprint BigFoam 1500 μm	52060	High tack plate side adhesive for plate mounting in unclean and cold conditions
tesa® Softprint BigFoam LT 1500 μm	52062	Medium tack adhesive for reliable plate mounting under most conditions

tesa® Softprint product line selection

		FE	FE-X
Clean and standardized conditions			SEC-X
Warm and high humidity conditions	SLM	TP	TP-X
Cold and maybe not perfectly clean		STM	









To help you get started, we have created the FOAM ADVISOR – a product selection tool that will help you identify the perfect combination of printing plate and plate mounting tape, which is essential for achieving optimal print results in your operation. Find out which tape suits you best by providing your existing process parameters.



tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All technical information and data above mentioned are provided to the best of our knowledge on the basis of our practical experience. They shall be considered as average values and are not appropriate for a specification. Therefore tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose, The user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.





Certifications

Our company is focused on international quality, environmental, and occupational safety standards.

Please find more information regarding our certifications at: www.tesa.com/certifications

tesa SE

Phone: +49 40 88899 0 tesa.com/company/locations