



tesa® Powerstrips Self-Adhesive Deco Hooks Transparent

Product Information

BNR 58900

Product Description

tesa Powerstrips transparent Deco Hooks are versatile decoration hooks for the fast and removable fixation of lightweight decorative objects.

Product Features

- Ideal to hang up decorative objects for seasonal or special occasions (e.g. Easter, Christmas, birthdays, wedding, etc.) in multiple ways
- Secure hold for light (200g) decorations on a variety of surfaces*
- Removable without trace thanks to the Powerstrips® technology
- Limited UV-resistance
- Deco Hooks reusable with new tesa Powerstrips® transparent Deco

*Not suitable for use on styrofoam, foamed material, surfaces with non-stick coating, porous materials

Application Fields

- How to use - Step by step
1. Clean the surface with alcohol or silicone-free glass cleaner
 2. Apply the Powerstrip® Transparent strip on the surface - press for 5 seconds minimum
 3. Stick the hook onto the strip - press for 5 seconds minimum
 4. Make sure the tab can be accessed for removal

Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

Product Construction

- | | | | |
|-----------------------|------------------|-----------------|------------|
| • Type of adhesive | synthetic rubber | • Hook shape | Triangular |
| • Holding power up to | 0.2 Kg | • Silicone free | yes |



tesa® Powerstrips Self-Adhesive Deco Hooks Transparent

Product Information

Properties/Performance Values

• Ageing resistance (UV)	yes	• Ozone resistance	yes
• Application temperature from	-15 °C	• Residue-free removability	yes
• Applicationfield	Kitchen, Living room, Children's room, Office, Hall, Bathroom	• Reusable	yes
• Area of use	Indoor	• Reusable with	Powerstrips Deco
• Batteries included	no	• Solvent free	yes
• Batteries required	no	• Suitable surfaces	Even wood, Tiles, Most plastics, Glass, Acrylic glass, Steel, Metal
• Chemical Resistance	no	• Temperature resistance	yes
• Hazard material	no	• Temperature resistance max.	35 °C
• Humidity resistance	no	• Temperature resistance min.	5 °C
• Humidity sealing	no	• UV resistant	yes
• Material	PS (polystyrene)	• Water resistance	no
• Oil and grease resistance	no	• Waterproof	no

Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?cp=NaN>