



# tesa® 50607 PV41



## Product Information

Double-sided splicing tape

## Product Description

tesa® 50607 PV41 is a translucent double-sided splicing tape consisting of a tissue paper coated with an acrylic adhesive.

tesa® 50607 PV41 features especially

- \*very high tack
- \*high shear resistance
- \*high temperature resistance

The special adhesive formulation ensures a good bond even on rough surfaces like cardboard. A high coating weight offers very high tack.

## Product Features

- It has high adhesive coating weight
- It offers an especially high tack for a safe initial bond even on rough and heavy paper grades.
- The special adhesive formulation ensures a secure bond on a variety of paper materials, even at elevated temperatures.

## Applications

- Splicing of liner and flute in the corrugated board industry
- Flying splice of paper in newsprint and converting processes
- Flying splice of heavy paper and cardboard

## Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

## Applications

- |                    |           |                   |        |
|--------------------|-----------|-------------------|--------|
| • Backing          | non-woven | • Total thickness | 120 µm |
| • Type of adhesive | acrylic   | • Color of liner  | white  |
| • Type of liner    | glassine  |                   |        |



# tesa<sup>®</sup> 50607 PV41

## Product Information

### Disclaimer

tesa<sup>®</sup> products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa<sup>®</sup> product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?ip=50607>