

tesa® 6075

Información Producto



Professional packaging hand dispenser

Descripción del producto

The tesa® 6075 hand dispenser is a robust industrial device that takes tesa® packaging tapes up to 75 mm width. Its system of 2 application rollers offers easy handling and a special blade-protection for safety. The tape is cut by pressing the trigger on the handle.

Características

- The continuously adjustable tension control allows correct dispensing even of easy unwinding tesa® tapes.
- The soft gummed handle ensures a secure and comfortable grip.

Aplicación

Put the tesa® 6075 dispenser on the carton and pull it towards yourself. The tape is unwound and pressed down by two rubber contact rollers. To cut the tape, press the trigger and continue moving the dispenser. Threading: The tesa® roll is put on the tape wheel such that the adhesive side of the tape faces the handle. Open the return stop and fix it at the trigger. Pull the tape between tape guide roller and return stop. The return stop closes again by pressing the trigger – the tesa® 6075 hand dispenser is ready for use.

Propiedades / Valores de rendimiento

Core diameter
Diámetro máximo del rollo
To mm
Gramaje
Roll width max
75 mm

Disclaimer

Los productos de tesa® demuestran su calidad en el día a día en condiciones exigentes y son sujetas a estrictos controles. Toda la información y datos técnicos arriba mencionados son suministrados en base a nuestro conocimiento y nuestra experiencia. Deberían ser considerados como valores promedios y no apropiados para una homologación. Por lo tanto tesa SE no puede dar garantías, explícita o implícitamente, incluyendo pero no limitando a cualquier garantía de comercialización o adecuación para un fin en particular. El usuario es responsable de determinar si los productos de tesa® son adecuados para una aplicación en particular y funcionan con los equipos de aplicación que tenga. En caso de duda, nuestro equipo técnico estará encantado de poder ayudarle.

