

The background of the advertisement is a close-up photograph of various tesa tapes. In the upper left, a roll of red cloth tape is partially unrolled, showing its woven texture. Below it, a roll of white tape is visible. In the bottom right, a roll of grey tape is coiled. The tapes are set against a dark blue background. Overlaid on the left side are three blue rectangular boxes containing the tesa logo and the text "Cloth Tape Solutions".

tesa®



Cloth Tape Solutions

Cloth Tape Solutions

tesa® offers a range of cloth tapes which can be used in a wide variety of applications from masking during sandblasting to bundling of different materials.

We have a premium variety in heavy duty cloth tape and general purpose tape. The right cloth tape to suit your demand is waiting for you.

tesa® Cloth Tapes



tesa® 4687 is a water repellent and pressure sensitive adhesive tape based on a cloth backing and rubber based adhesive. The 55 mesh count cloth backing consists of fabric and is laminated with a colored polyethylene film. The repairing tape can be used for a variety of applications, and available in 50mm wide width.

tesa® 4688 is a good water resistance grade polyethylene coated cloth tape. It is based on a 55 mesh count woven PET/rayon fabric backing coated with a pressure sensitive natural rubber adhesive. A typical repairing tape, convenient for a variety of needs with very good handling characteristics. Available in various colours and widths. (Log roll 1300mm wide, can be slit to custom sizes).

tesa® 58663 cloth tape combines a heavy duty PE laminated cloth backing with a high strength natural rubber adhesive. The natural rubber adhesive allows for easy application and strong holding power on many rough and hard to stick surfaces such as carpet and many plastics. The heavy duty PE laminated cloth backing is waterproof, abrasive resistant and provides short term temperature resistance up to 93°C, making it suitable in even the toughest conditions. Available in Black and Silver in 48 mm width.

Product description and application

Product description and application	Product	Backing	Total thickness [µm]	Adhesion to steel [N/cm]	Elongation at break [%]	Temperature resistance	Colour
		Adhesive					
tesa® 4687 Standard PE-laminated Cloth Tape <ul style="list-style-type: none"> Strong hold on smooth and rough surfaces Weather resistant up to 1 week outdoors Gentle unwinding, comfortable handling and easy removal Masking of surfaces during sandblasting Attaching protective films Bundling of wires Temporary fastening Hand tearable 		PE extruded cloth	260	5	20	80	● ● ●
		Natural rubber					
tesa® 4688 Standard Polyethylene Coated Cloth Tape <ul style="list-style-type: none"> Indoor and outdoor applications Bonding of construction films Bundling of cables & book binding grade Repairing, packaging, protection, marking Hand tearable with good straight edges Sandblasting application 		PE extruded cloth	260	4.5	9	110	● ● ● ● ● ● ●
		Natural rubber					
tesa® 58663 Heavy Duty Cloth Tape <ul style="list-style-type: none"> Ideal for masking up during sandblasting applications Joining builders film Bundling cables and securing wires on carpet Sealing heavy cartons or boxes Demarcation 		PE laminated cloth	330	6	7.5%	93	● ●
		Natural rubber					

Colour Chart

● Black ● Grey ○ White ● Green ● Blue ● Red ● Yellow



Cloth tape suitable for MRO

tesa® 4169 is an extremely robust high-performance adhesive tape for permanent floor markings. The abrasion-resistant, robust and resilient floor-marking tape comprises a soft PVC substrate with an acrylate adhesive mass. It can also be used on sensitive or rough surfaces and, thanks to the high degree of flexibility in the substrate, is also suitable for adhesion to corners.



tesa® 4600 Xtreme Conditions HD is one of tesa's premium tapes. It is a self-fusing tape applied with tension by wrapping the tape around itself. No drying time is required. Used for heavy duty applications, it has a sturdy thickness of 750µm.

Xtreme Conditions is available in Black and comes with a liner.



tesa® 56660 is a non slip Tread Tape, heavy duty aluminium oxide grit bonded to PVC film. Heavy grade, anti-slip tape coated with a long ageing acrylic adhesive, it is ideal for providing an easily applied anti-slip surface to stairs, kitchen floors, vehicle running boards, agricultural machinery and ladders.





Certifications

Our company is focused on international quality, environmental, and occupational safety standards.

Please find more information regarding our certifications at:
www.tesa.com/certifications

tesa AU
Phone: +61 2 9830 3929
tesa.com/Australia/Eastern Creek