



# tesa® 51005

## Product Information



Black detection label

### Product Description

tesa® 51005 is a single sided black oblong label consisting of a wood-free printing paper and a rubber based adhesive. tesa® 51005 features especially

- Excellent adhesive performance
- High initial tack
- Reliable optical detection

### Product Features

- Excellent adhesive performance
- High initial tack
- Reliable optical detection

### Applications

tesa® 51005 is used for the optical detection of the splice particularly in the printing and converting industry.

### Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

### Applications

- |                   |            |                      |                     |
|-------------------|------------|----------------------|---------------------|
| • Backing         | flat paper | • Color              | black               |
| • Type of liner   | glassine   | • Thickness of liner | 55 µm               |
| • Total thickness | 100 µm     | • Weight of liner    | 60 g/m <sup>2</sup> |

### Additional Information

Dimension per label: 99 mm x 45 mm

Pieces per roll: 1000



# tesa<sup>®</sup> 51005

## Product Information

### Disclaimer

tesa<sup>®</sup> products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa<sup>®</sup> product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?ip=51005>