



tesa[®] 56660

Product Information

Tread Tape

Product Description

Non Slip Tread Tape, Heavy Duty Aluminium Oxide Grit bonded to PVC Film. Heavy duty, anti-slip tape coated with a long ageing acrylic adhesive. Ideal for providing an easily applied anti-slip surface to stairs, kitchen floors, vehicle running boards, agricultural machinery and ladders.

Applications

- Vehicle running boards
- Non slip safety areas
- Stairways
- Agricultural machinery

Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

Applications

- | | | | |
|--------------------|----------|-------------------|--------|
| • Backing | PVC film | • Total thickness | 700 µm |
| • Type of adhesive | acrylic | | |

Properties/Performance Values

- | | | | |
|-----------------------|------|----------------------------|----|
| • Chemical Resistance | good | • Suitable for die cutting | no |
| • Easy to remove | no | | |

Adhesion to Values

- | | |
|---------|-----------|
| • Steel | 12.4 N/cm |
|---------|-----------|



tesa[®] 56660

Product Information

Additional Information

Yellow is for use in safety areas and should be used in preference to tesa 4169 PVC Floor Marking Tape where floors are slippery.

Disclaimer

tesa[®] products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa[®] product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?ip=56660>