

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.03.2019

Version number 86

Revision: 13.03.2019

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name** tesa Sekundenkleber fluessig / Instant Glue liquid
- **Article number:** tesa 57040, 57668, 57672
- **CAS Number:** 7085-85-0
- **EC number:** 230-391-5
- **Index number:** 607-236-00-9
- **Registration number** 01-2119527766-29
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Adhesives
- **1.3 Manufacturer/Supplier:** Tel.: +49-40-88899-101  
tesa SE  
Hugo-Kirchberg-Strasse 1  
D-22848 Norderstedt  
Germany
- **Informing department:** tesa SE, quality management/environment/occupational safety, Dr. Dirk Lamm  
Dirk.Lamm@tesa.com, Tel.: +49-40-88899-2977
- **1.4 Emergency telephone number:** tesa SE, Hugo-Kirchberg-Str. 1, D-22848 Norderstedt  
Security Center Phone +49-40-88899-0  
or +49-40-88899-9111

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



Skin Irrit. 2 H315 Causes skin irritation.  
 Eye Irrit. 2 H319 Causes serious eye irritation.  
 STOT SE 3 H335 May cause respiratory irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
- **Hazard pictograms**

The substance is classified and labelled according to the CLP regulation.



GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:** ethyl 2-cyanoacrylate
- **Hazard statements** H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.
- **Precautionary statements**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves / eye protection / face protection.

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.03.2019

Version number 86

Revision: 13.03.2019

**Trade name tesa Sekundenkleber fluessig / Instant Glue liquid**

(Contd. of page 1)

- |                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>· <b>Additional information:</b></li> <li>· <b>2.3 Other hazards</b></li> <li>· <b>Results of PBT and vPvB assessment</b></li> <li>· <b>PBT:</b></li> <li>· <b>vPvB:</b></li> </ul> | <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/container in accordance with local/regional/national/international regulations.</p> <p>Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.</p> <p>The preparation contains no eluatable organic halogene compounds, which increases the AOX values</p> <p>Not classified</p> <p>Not classified</p> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**\* SECTION 3: Composition/information on ingredients**

- **3.1 Chemical characterisation: Substances**
- **CAS No. Designation:** 7085-85-0 ethyl 2-cyanoacrylate
- **Identification number(s):**
- **EC number:** 230-391-5
- **Index number:** 607-236-00-9
- **SVHC** Free of any SVHC substances or < 0.1 %

**\* SECTION 4: First aid measures**

- **4.1 Description of first aid measures**
- **General information** In case of bonding tissues or eyes calm affected person. Avoid any forced separation for example with a cutting knife. Don't rub bonded eyes. Even without treatment cyanoacrylate based adhesive can be peeled of from skin, eyes or mouth due to the influence of wetness, humidity of skin, sweat, tears and spittle. Instantly remove any clothing soiled by the product.
- **After inhalation** At room temperature, the preparation is low volatile. The vapor pressure is < 1mbar. At normal use an exposition by inhalation is not likely. In case of unconsciousness bring patient into stable side position for transport.
- **After skin contact** In case of skin contact, soak the bonded area in warm, soapy water for several minutes. Afterwards treat the skin with fatty or oily protecting cream. Cured adhesive can be removed from the skin within about one day. Bonded skin surfaces can be separated relatively easily by soaking in warm, soapy water for several minutes. Then gently try peeling the bond. Alternatively, a dull instrument such as a pencil or a dull and pointless table knife can be forced carefully through the bond.
- **After eye contact** Instantly wash with water and soap and rinse thoroughly. Immediately flush the eyes with water and seek for medical aid. Allow the eye to remain closed and the bond to separate naturally (supported by tear production), what generally will occurs within a few hours. Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- **After swallowing** Unlikely, because rapid hardening (polymerisation) of the adhesive will already take place in contact with spittle in the mouth.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Information for occupational physician.** In case of bonded skin, do not separate surgical.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.03.2019

Version number 86

Revision: 13.03.2019

Trade name tesa Sekundenkleber fluessig / Instant Glue liquid

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**\* SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **5.2 Special hazards arising from the substance or mixture** Can be released in case of fire:  
Nitrogen oxide (NOx)  
Carbon monoxide (CO)  
Hydrogen cyanide (HCN)  
Under certain fire conditions, traces of other toxic gases cannot be excluded.
- **5.3 Advice for firefighters**
- **Protective equipment:** Put on breathing apparatus.  
Do not inhale explosion gases or combustion gases.
- **Additional information** Collect contaminated fire fighting water separately. It must not enter drains.

**\* SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:** Apply absorbing material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

**\* SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** Store in cool, dry place in tightly closed containers.  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle container with care.  
Prevent formation of aerosols.  
Not cured rests of the adhesive can be removed with acetone.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:** Protect from humidity and keep away from water.  
Keep container tightly sealed.  
Storing flammable liquids the National regulations have to be fulfilled!
- **7.3 Specific end use(s)** No further relevant information available.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.03.2019

Version number 86

Revision: 13.03.2019

Trade name tesa Sekundenkleber fluessig / Instant Glue liquid

(Contd. of page 3)

**\* SECTION 8: Exposure controls/personal protection**

· **Additional information about design of technical systems:** No further data; see item 7.

· **8.1 Control parameters**

· <b>Components with critical values that require monitoring at the workplace:</b>	
<b>7085-85-0 ethyl 2-cyanoacrylate</b>	
WEL	Short-term value: 1.5 mg/m <sup>3</sup> , 0.3 ppm

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.  
Keep away from foodstuffs, beverages and food.  
Instantly remove any contaminated garments.  
Wash hands before breaks and at the end of the work.  
Avoid contact with the eyes and skin.

· **Breathing equipment:**



In case of short term exposure use respiratory protection. In case of intensive or longer exposure use respiratory protection equipment independent from ambient air.

· **Protection of hands:**



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

wear protective glove (nitrile)

· **Penetration time of glove material**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Eye protection:**



Safety glasses

· **Body protection:**

Protective work clothing.

**\* SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Liquid
Colour:	Colourless
Smell:	Pungent
Odour threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	60 °C

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.03.2019

Version number 86

Revision: 13.03.2019

Trade name tesa Sekundenkleber fluessig / Instant Glue liquid

(Contd. of page 4)

· <b>Flash point:</b>	Not applicable
· <b>Inflammability (solid, gaseous)</b>	Not applicable.
· <b>Decomposition temperature:</b>	265 °C
· <b>Self-inflammability:</b>	Not determined.
· <b>Explosive properties:</b>	Product is not explosive.
· <b>Critical values for explosion:</b>	
Lower:	Not determined.
Upper:	Not determined.
· <b>Steam pressure:</b>	Not determined.
· <b>Density at 20 °C</b>	1.04 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
dynamic:	Not determined.
kinematic:	Not determined.
· <b>9.2 Other information</b>	No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Exothermic polymerisation
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Alkalien, Wasser
- **10.6 Hazardous decomposition products:** Hydrogen cyanide (prussic acid)

### \* SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.03.2019

Version number 86

Revision: 13.03.2019

Trade name tesa Sekundenkleber fluessig / Instant Glue liquid


(Contd. of page 5)

**SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **According to recipe contains the following heavy metals and compounds according to EC guideline NO. 76/464 EC:** Free of heavy metals (Pb, Cd, Hg, Cr6+)  
Free of Polybrominated Biphenyls (PBBs) and Polybrominated Diphenyl Ethers (PBDEs) according to RoHS Directive.
- **General notes:** Generally not hazardous for water.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation** The product can be polymerized with alkali, or water and disposed of as solid material.



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

This product can be polymerized with alkalis or water and can be disposed as an untoxic solid substance.

· <b>European waste catalogue (recommendation)</b>	
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
HP 4	Irritant - skin irritation and eye damage
HP 5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

- **Additional information about the European waste catalogue:** The assignment of a waste key number according to EC Decision 2000/532/EC in connection with EU Directive 75/442/EC has to follow specific industry requirements. The above mentioned classification is only one possible proposal.
- **Uncleaned packagings:**
- **Recommendation:** Disposal according to official regulations.

**SECTION 14: Transport information**

· <b>14.1 UN-Number</b>	
· <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>14.2 UN proper shipping name</b>	
· <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>14.3 Transport hazard class(es)</b>	
· <b>ADR, ADN, IMDG, IATA</b>	
· <b>Class</b>	Void

(Contd. on page 7)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2019

Version number 86

Revision: 13.03.2019

Trade name tesa Sekundenkleber fluessig / Instant Glue liquid

(Contd. of page 6)

· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above mentioned specifications.
· UN "Model Regulation":	Void

### SECTION 15: Regulatory information

#### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU
- Named dangerous substances - ANNEX I  
Substance is not listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII  
Conditions of restriction: 3
- National regulations
- Additional classification according to Decree on Hazardous Materials, Annex III:  
'Cyanoacrylate! Danger!  
Bonds skin and eyes in seconds  
Keep out of the reach of children'.
- Information about limitation of use: Employment restrictions concerning young persons must be observed.  
Void
- Decree to be applied in case of technical fault: Void
- Water hazard class: Generally not hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This data is based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing data specification sheet: tesa SE, Quality Management/Environment/Safety
- Contact: tesa SE: Dr. D. Lamm, Phone: +49-40-88899-2977, Email: dirk.lamm@tesa.com  
tesa SE: Dr. A. Koeth, Phone: +49-40-88899-3938, Email: anja.koeth@tesa.com
- Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern  
vPvB: very Persistent and very Bioaccumulative  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.03.2019

Version number 86

Revision: 13.03.2019

---

Trade name tesa Sekundenkleber fluessig / Instant Glue liquid

---

(Contd. of page 7)

· \* Data compared to the previous  
version altered.

---

— GB —