

# tesa® Adhesive Nail for Tiles & Metal 4kg



## **Product Information**

**BNR 77766** 

## **Product Description**

Adhesive Nail for up to 4kg. Perfect for hanging decorative objects and kitchen utensils on smooth and solid surfaces like tiles & metal.||Adhesive Nail for up to 4kg. Perfect for hanging decorative objects and kitchen utensils on smooth and solid surfaces like tiles & metal.

#### **Product Features**

- For smooth and solid surfaces like tiles indoors
- · For objects up to 4kg per nail or 8kg using 2 nails
- · Removable without a trace
- Reusable with a new stripll\* For smooth and solid surfaces like tiles indoors
- · For objects up to 4kg per nail or 8kg using 2 nails
- · Removable without a trace
- · Reusable with a new strip

### **Application Fields**

### Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

#### **Product Construction**

•	Type of adhesive	synthetic rubber	<ul> <li>Holding</li> </ul>	ng power of stri	p up to	4 Kg
---	------------------	------------------	-----------------------------	------------------	---------	------

## **Properties/Performance Values**

•	Application temperature from	-15 °C	•	Ozone resistance	no
•	Chemical resistance	no	•	Residue free removal	yes
•	Hazard material	no	•	Reusable	yes
•	Humidity resistance	no	•	UV-resistant	no
•	Material	PS (polystyrene)	•	Waterproof	no
•	Oil and grease resistance	no			



# tesa® Adhesive Nail for Tiles & Metal 4kg

**Product Information** 

## Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.