

# tesa® Powerstrips Waterproof Hooks S plastic white



**Product Information** 

## BNR 59782

## **Product Description**

||

#### **Product Features**

- · Easy to mount without drilling, screws or nails
- Strong hold up to 1,0kg
- Removable without a trace due to the Powerstrips Waterproof technology
- Made from high quality plastic
- Usable on tiles, glass, etc. in humid rooms or directly in the shower\*
- Especially developed for wet areas (e.g. shower, bathtub etc.)
- Hooks reusable with tesa Powerstrips Waterproof Small

\*Not suitable for use on styrofoam, foamed material, surfaces with non-stick coating, porous materiall

- · Easy to mount without drilling, screws or nails
- Strong hold up to 1,0kg
- Removable without a trace due to the Powerstrips Waterproof technology
- Made from high quality plastic
- Usable on tiles, glass, etc. in humid rooms or directly in the shower\*
- Especially developed for wet areas (e.g. shower, bathtub etc.)
- Hooks reusable with tesa Powerstrips Waterproof Small

\*Not suitable for use on styrofoam, foamed material, surfaces with non-stick coating, porous material

### **Application Fields**

||

#### Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

### **Product Construction**

- Type of adhesiveHolding power up to
- synthetic rubber 1 Kg

Hook shape

Rounded square



# tesa® Powerstrips Waterproof Hooks S plastic white

**Product Information** 

# **Properties/Performance Values**

•	Application temperature from Application temperature to Applicationfield Chemical resistance Hazard material Humidity resistance Material	+15 °C +35 °C Bathroom no yes yes PS (polystyrene)	• • • •	Ozone resistance Residue free removal Reusable Reusable with Solvent free Temperature resistance	no yes yes Powerstrips Waterproof Small yes yes
•	Oil and grease resistance	no	•	UV-resistant	no
•	Material	PS (polystyrene)	٠	Temperature resistance	yes

# Disclaimer

tesa<sup>®</sup> products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa<sup>®</sup> product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.