

# tesa® Powerstrips Refill for telescopic Bottom- and Side Pull-Out

**Product Information** 

BNR 70064

## **Product Description**

tesa<sup>®</sup> Powerstrips<sup>®</sup> Refill Set makes it easy to reuse and reattach tesa<sup>®</sup> Pull Out bottom and side pull-outs. The Powerstrips<sup>®</sup> can be attached without the need for drilling and removed again without leaving any residue or damage.

### **Product Features**

- Long-lasting: The kitchen organiser refill set allows the base and side pull-out to be reused
- More flexibility: Suitable for installing in a new kitchen or repositioning in the home
- Easy fastening: Can be attached without drilling or extra tools quick installation
- Removable without a trace: No residue or damage is left behind thanks to the innovative Powerstrips®
- Versatile: This pull-out fits in cabinets made of the most common materials such as veneer, etc.
- Scope of delivery: 5 sheets with 3 Powerstrips<sup>®</sup> each (15 strips in total)

## Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

### **Product Construction**

• Type of adhesive	synthetic rubber	• Holding power of strip up to	10 Kg
Properties/Performance Values			
Applicationfield	Kitchen	Residue free removal	yes
Chemical resistance	no	Solvent free	yes
<ul> <li>Hazard material</li> </ul>	no	<ul> <li>Temperature resistance</li> </ul>	yes
<ul> <li>Humidity resistance</li> </ul>	no	UV-resistant	no



# tesa® Powerstrips Refill for telescopic Bottom- and Side Pull-Out

**Product Information** 

### Disclaimer

tesa<sup>®</sup> products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa<sup>®</sup> product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



<sup>2</sup>age 2 of 2 – as of 02/04/25 – en-GB