

tesapack®

Product Information

57180, 55337, 5054

Product Description

The tesapack® STRONG PAPER is perfect for securely packaging medium-weight parcels. It unrolls easily and can be torn by hand. Made from 92% renewable materials such as paper from well-managed, certified forests and other controlled sources, it contributes to sustainability.

Product Features

- Strong adhesive performance for reliable packaging of medium-weight parcels
- High initial adhesion and smooth, quiet unrolling for comfortable use
- Easily torn by hand, ideal for home use
- Made from 92% renewable materials including paper from well-managed, certified forests and other controlled sources
- Core made from 100% recycled cardboard
- INGEDE-12 certified: tesapack® STRONG PAPER does not harm the recycling process of paper and cardboard
- Optimal processing with all tesapack® hand dispensers (Classic, Comfort, Economy or Premium)

Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

Product Construction

- | | | | |
|--------------------|----------------|-------------------|--------|
| • Backing material | Paper | • Total thickness | 125 µm |
| • Type of adhesive | natural rubber | | |

Properties/Performance Values

- | | | | |
|-----------------------|---------------|--------------------------|-----|
| • Elongation at break | 8 % | • Ageing resistance (UV) | no |
| • Adhesive strength | High adhesion | • Hand tearability | yes |

tesapack®

Product Information

Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?cp=60408PAP20A>