



tesa® PROFESSIONAL

PLASTERING ASSORTMENT

Professional Solutions for All Aspects of Plastering.

Even for the most challenging outdoor renovation and building surfaces, our plastering tape range offers perfect product properties for your professional needs.

CLOTH TAPES

tesa® Multipurpose – Perfect Tear Edge

4621

Product Features

- UV resistance: 8 weeks
- Residue-free removal from concrete, PVC and wooden flooring*
- Can be used at temperatures up to +90°C
- Hand tearable in length and cross direction
- Easy to unwind
- Translucent



* We recommend testing residue-free removability prior to use

Technical Data

Total thickness (µm)	126
Adhesion/Steel (N/cm)	3.0
Elongation at break (%)	22

Sizes (m:mm)

25:50
50:50

tesa® UV Building Protection Tape

4370

Product Features

- UV resistance: 8 weeks
- Strong adhesion even on rough surfaces
- Good hand tearability
- Mesh Count: 70 yarns/in²
- Easy to remove



Technical Data

Total thickness (µm)	310
Adhesion/Steel (N/cm)	4.4
Elongation at break (%)	10

Sizes (m:mm)

25:25
25:50


Easy Cover® UV Extra Strong 4373: The 2-in-1 solution for masking and protecting large areas

tesa® Plastering Cloth Tape

4363

Product Features

- UV resistance: 3 weeks
- Good adhesion even on rough surfaces
- Good hand tearability
- Mesh Count: 65 yarns/in²
- Water repellent



Technical Data

Total thickness (µm)	310
Adhesion/Steel (N/cm)	3.6
Elongation at break (%)	11

Sizes (m:mm)

25:30
25:38
25:50

Easy Cover® UV 4369: The 2-in-1 solution for masking and protecting large areas

tesa® PRO STRONG Duct Tape

74662

Product Features

- UV resistance: 2 weeks
- Excellent adhesion even on slightly rough and dusty surfaces
- Mesh Count: 27 yarns/in²
- Good hand tearability



Technical Data

Total thickness (µm)	215
Adhesion/Steel (N/cm)	6.5
Elongation at break (%)	19

Sizes (m:mm)


50:50
25:50

tesa® Plastering Facade Cloth Tape

4398

Product Features

- UV resistance: 10 days
- Good hand tearability
- Mesh Count: 55 yarns/in²



Technical Data

Total thickness (µm)	260
Adhesion/Steel (N/cm)	5.0
Elongation at break (%)	20

Sizes (m:mm)

25:30
25:50

Easy Cover® Facade Protection 4498: The 2-in-1 solution for masking and protecting large areas


PE/SPVC TAPES

tesa® PE Plastering Tape

4845

Product Features

- UV resistance: 12 weeks
- Temperature resistance during use: -40°C to +60°C
- Eco-friendly*
- Can be applied at: -15°C to +30°C
- Residue-free removal from concrete, PVC and wooden flooring**
- Keeps its shape without being stretched



Technical Data

Total thickness (µm)	120
Adhesion/Steel (N/cm)	2.1
Elongation at break (%)	360

Sizes (m:mm)

33:30
33:50

* Polyethylene (PE) is more environmentally friendly plastic that is recyclable

** We recommend testing residue-free removability prior to use

tesa® sPVC Premium Plastering Tape Orange 4843

Product Features

- UV resistance: 2 weeks
- Can be used at temperatures $\geq 0^\circ\text{C}$
- Resistant to acids and other chemicals
- Very good flexibility



Technical Data

Total thickness (µm)	128
Adhesion/Steel (N/cm)	1.3
Elongation at break (%)	170

Sizes (m:mm)


33:30
33:50
33:75

tesa® sPVC Plastering Tape Embossed 67001

67001

Product Features

- UV resistance: 6 weeks
- Can be used at temperatures between +5 and +60°C
- Embossed backing for straight hand-torn edges
- Suitable for slightly rough surfaces



Technical Data

Total thickness (µm)	130
Adhesion/Steel (N/cm)	1.6
Elongation at break (%)	130

Sizes (m:mm)

33:30
33:50

tesa® sPVC Plastering Tape 66001

66001

Product Features

- UV resistance: 6 weeks
- Can be used at temperatures between +5 and +60°C
- Suitable for slightly rough surfaces



Technical Data

Total thickness (µm)	120
Adhesion/Steel (N/cm)	2.0
Elongation at break (%)	170

Sizes (m:mm)

33:30
33:50

tesa® sPVC Plastering Tape Standard 60399

60399

Product Features

- UV resistance: 2 weeks
- Can be used at temperatures between +5 and +60°C
- Suitable for slightly rough surfaces



Technical Data

Total thickness (µm)	120
Adhesion/Steel (N/cm)	2.0
Elongation at break (%)	170

Sizes (m:mm)

33:30
33:50



tesa® Plastering Assortment

	Order number	Article	Tape color	Dimensions m x mm	EAN	Pieces IP	Pieces OP
Cloth Tapes	04363-00002-02	Plastering Cloth Tape	Blue	25 x 30	4042448061805	6	36
	04363-00003-02	Plastering Cloth Tape	Blue	25 x 38	4042448061829	6	42
	04363-00001-02	Plastering Cloth Tape	Blue	25 x 50	4042448360397	6	24
	04370-00002-00	UV Building Protection Tape	White	25 x 25	4005800188619	-	48
	04370-00003-00	UV Building Protection Tape	White	25 x 50	4005800188626	-	24
	04398-00000-00	Plastering Facade Cloth Tape	Blue	25 x 30	4063565018183	16	48
	04398-00001-00	Plastering Facade Cloth Tape	Blue	25 x 50	4063565018190	12	36
	04621-00011-00	Multipurpose – Perfect Tear Edge	Green	25 x 50	4042448563378	-	30
	04621-00014-00	Multipurpose – Perfect Tear Edge	Green	50 x 50	4042448563385	-	36
	74662-00002-00	PRO STRONG Duct Tape	Black	50 x 50	4063565117893	-	24
	74662-00003-00	PRO STRONG Duct Tape	Grey	50 x 50	4063565117909	-	24
	74662-00000-00	PRO STRONG Duct Tape	Black	25 x 50	4063565117879	-	24
	74662-00001-00	PRO STRONG Duct Tape	Grey	25 x 50	4063565117886	-	24
PE/sPVC Tapes	04843-00004-16	Premium Plastering Tape	Orange	33 x 30	4042448817280	10	60
	04843-00000-16	Premium Plastering Tape	Orange	33 x 50	4042448000453	6	36
	04843-00001-16	Premium Plastering Tape	Orange	33 x 75	4042448000484	4	24
	04845-00000-00	PE Plastering Tape	White	33 x 30	4063565018152	10	60
	04845-00001-00	PE Plastering Tape	White	33 x 50	4063565018176	6	36
	60399-00000-01	sPVC Plastering tape Standard	Orange	33 x 30	4042448429858	10	60
	60399-00003-00	sPVC Plastering tape Standard	White	33 x 30	4063565019913	10	60
	60399-00001-01	sPVC Plastering tape Standard	Orange	33 x 50	4042448429865	6	36
	60399-00005-00	sPVC Plastering tape Standard	White	33 x 50	4063565019920	6	36
	66001-00000-00	sPVC Plastering Tape	Yellow	33 x 30	4063565017865	10	60
	66001-00002-00	sPVC Plastering Tape	Orange	33 x 30	4063565019593	10	60
	66001-00001-00	sPVC Plastering Tape	Yellow	33 x 50	4063565017872	6	36
	66001-00003-00	sPVC Plastering Tape	Orange	33 x 50	4063565019609	6	36
	67001-00000-00	sPVC Plastering Tape Embossed	Yellow	33 x 30	4063565017926	10	60
	67001-00002-00	sPVC Plastering Tape Embossed	Orange	33 x 30	4063565018091	10	60
	67001-00001-00	sPVC Plastering Tape Embossed	Yellow	33 x 50	4063565017919	6	36
	67001-00003-00	sPVC Plastering Tape Embossed	Orange	33 x 50	4063565018121	6	36

tesa UK
 Phone: +44 1908 500 333
 tesa.co.uk.craftsmen

tesa.co.uk