

Product Information

ADHESIVE REMOVER Spray, 200ml

tesa® ADHESIVE REMOVER 60042 is a spray for easy removal of glue residue from plastic parts, glass and metal surfaces.

- Reliably removes residues of most adhesive tapes
- Allows an easy removal of labels
- Removes as well residues as grease, tar, resins and other stains
- Evaporates without leaving residues
- Leaves a pleasant scent
- The cleaner is based on LIMONENE from natural sources
- Spray reaches even concealed and hard-to-reach places
- Free from silicone

Main Application

tesa® ADHESIVE REMOVER 60042 is designed for

- General industrial applications
- Use in factories and production plants
- All kinds of craft
- Automotive applications

tesa® ADHESIVE REMOVER 60042 is as well suitable for removing of adhesive residues and labels at home.

Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

Additional Information

- Observe the safety-information on the spray-can
- Shake can well before use
- Apply a generous coating to the surface to be cleaned and leave for a few moments to take effect
- Wipe off with a clean cloth
- Test sensitive materials for suitability first
- Contains > 30% aliphatic hydrocarbons and LIMONENE according to Decree (EC) no. 648/2004 on Detergents

30% aliphatic hydrocarbons and LIMONENE according to Decree (EC) no. 648/2004 on Detergents

- Refer to special instructions/safety data sheets: www.tesa.com/safety

tesa® 60042

Product Information



Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit
<http://l.tesa.com/?ip=60042>