



tesa® Printer's Friend 4863 PV3



Product Information

Silicone coated roller wrapping tape with embossed surface

Product Features

- The product design ensures high resistance to wear,
- It ensures easy application as well as residue-free removal even after a prolonged period of time
- It exposure to high temperatures.

Product Description

tesa Printer's Friend® 4863 PV3 consists of a cloth backing and an embossed silicone coated surface, which offers reliable "grip" and repels a variety of substances. The product design ensures high resistance to wear, easy application as well as residue-free removal even after a prolonged period of time and exposure to high temperatures.

Application Fields

tesa Printer's Friend® 4863 PV3 is designed for roller wrapping in a variety of manufacturing and printing processes that utilize roller systems to process web-based materials, such as films, textiles, paper, and more.

Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

Product Construction

- | | | | |
|-------------------|--------|--------------------|-----------------------|
| • Total thickness | 620 µm | • Backing material | Silicone-coated cloth |
| • Color | grey | • Type of adhesive | natural rubber |

Adhesion to Values

- | | |
|---------------------------------|--------|
| • Steel (covered side, initial) | 3 N/cm |
|---------------------------------|--------|

Additional Information

The product's shelf life is 12 months.



tesa[®] Printer's Friend 4863 PV3

Product Information

Disclaimer

tesa[®] products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa[®] product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit
<http://l.tesa.com/?ip=04863>