

SIMPLIFY YOUR PAINTING APPLICATIONS

tesa® 4338 Green – Masking made easy for everyone

ONE MASKING TAPE FOR ALL

Finding just the right masking tape to meet the demanding requirements of industrial painting applications can be difficult, at best. Too often, manufacturers are forced to stock multiple, hard-to-work-with masking tapes, each for different needs – including general purpose, fine-line and high-temperature applications.

tesa® 4338 Green is a high-performance, finger-friendly masking tape solution that can withstand multiple high-temperature drying cycles across a variety of applications. tesa® 4338 Green reduces complexity and increases process efficiencies for manufacturers and provides improved operator friendliness – both during masking and removal.

Thanks to its resistance to high temperatures and residue-free removal, tesa® 4338 Green is an ideal solution for masking jobs with high quality standards. tesa® 4338 Green is designed to meet the requirements of modern industrial paint systems and processes in the transportation sector, such as marine and other specialty vehicles – including trains and trucks – whenever conformability and clean paint edges are required.

Simplify your painting operations with just one high-performance tape.



Excellent conformability



Great initial tack




Technical Data

Product	Backing	Type of Adhesive	Color	Total Thickness [µm mils]	Adhesion to steel [N/cm oz/in]	Tensile strength [N/cm lbs/in]	Elongation at break [%]	Temperature resistance [°C °F]	UV resistance [days]
tesa® 4338 Green	Smooth crepe paper	Natural rubber	Green	145 5.7	3.5 32	43 2	13	120 248	7

Product Benefits

- One tape for many applications
- Residue-free removal
- Exceptional handling: easy and controlled unwinding, finger friendly, and high conformability
- Ideal for multiple drying cycles: up to six cycles at 250°F/40 min
- Excellent adherence to paints and fillers
- Good quick stick for secure fixation of masks without peel-off
- Delivers clean paint edges
- Provides up to 7-day UV resistance
- High visibility: bright green color



Residue-free removal



Our management system is certified according to the standards ISO 9001, ISO 14001, and ISO/TS 16949.

/// Creating the bonds that drive people and the world forward

United States and Canada
tesa tape, inc.
5825 Carnegie Boulevard • Charlotte, NC 28209
Phone: +1-800-426-2181
Email: marketing@tesatape.com

www.tesatape.com