

# tesa® 60408

## Product Information



## Sustainable Aspects

- The paper backing is made with paper from well-managed forests and other controlled sources
- Bio-based carbon content in total product >85% (certified by DIN CERTCO)
- Recycling-friendly according to INGEDE method 12
- Solvent-free production process



For more information: <https://www.tesa.com/product-sustainability>

## Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

## Product Construction

- |                    |                |                                  |        |
|--------------------|----------------|----------------------------------|--------|
| • Backing material | Paper          | • Total bio-based carbon content | 89 %   |
| • Type of adhesive | natural rubber | excl. liners (acc. ASTM D6866)   |        |
|                    |                | • Total thickness                | 125 µm |

## Product Assortment

- |                    |       |
|--------------------|-------|
| • Available colors | brown |
|--------------------|-------|

## Properties/Performance Values

- |                         |         |                       |             |
|-------------------------|---------|-----------------------|-------------|
| • Elongation at break   | 8 %     | • Low noise unwinding | yes         |
| • Tensile strength      | 60 N/cm | • Packaging Weight    | Up to 20 kg |
| • Automatic application | yes     | • Printability        | very good   |
| • Hand tearability      | yes     | • Solvent free        | yes         |
| • Humidity resistance   | medium  |                       |             |

## Adhesion to Values

- |         |          |
|---------|----------|
| • steel | 2.8 N/cm |
|---------|----------|

## Certificates

### Certified according to

- Din Certco (validity: 26/07/2024)
- INGEDE12

### Sustainability Certificates

- Total bio-based content >85% certified by DIN Certco

For latest information on this product please visit <http://l.tesa.com/?ip=60408>

# tesa® 60408

## Product Information

### Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?ip=60408>