

tesa® Powerstrips Small

Product Information

BNR 57550, 58560

Product Description

tesa Powerstrips Small are self-adhesive double-sided strips. They are ideal for the removable fixation of flat objects weighing up to 1 kg to most surfaces.

Product Features

- Suitable for the whole Powerstrips Small accessory range
- Maximum hold of up to 1 kg on smooth surfaces
- Removable without trace thanks to the Powerstrips® technology
- · Strong hold for objects on most surfaces*

Application Fields

How to apply - Step by step: 1. Clean the surface with alcohol or silicone-free glass cleaner

synthetic rubber

650 μm

- 2. Apply the Powerstrip Small strip on the surface press for 5 seconds minimum
- 3. Fix object onto surface press for 5 seconds minimum
- 4. Make sure the tab can be accessed for removal

Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

Holding power of strip up to

1 Kg

Product Construction

Type of adhesive

Total thickness

Humidity resistance

Properties/Performance Values				
Ageing resistance (UV)Application temperature fromApplicationfield	yes -15°C Kitchen, Children's room, Office, Hall, Living room, Bathroom	•	Oil and grease resistance Ozone resistance Residue-free removability Solvent free UV resistant Waterproof	no yes yes yes no no
 Chemical Resistance 	no			
 Hazard material 	no			

no

^{*}Not suitable for use on styrofoam, foamed material, surfaces with non-stick coating, porous materials



tesa® Powerstrips Small

Product Information

Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.