

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/19/2023

Reviewed on 02/19/2023

* 1 Identification

· Product identifier	
· Trade name	tesa 60630, 60650, 60670, 63632 Self Wound Aluminium Foil Tape
· Application of the substance / the mixture	Adhesive tape
· Manufacturer/Supplier:	tesa SE Hugo-Kirchberg-Str. 1 D-22848 Norderstedt Germany
	Tel.: +49-40-88899-101
· Informing department:	tesa SE, Corporate Regulatory Affairs SDS@tesa.com, Tel.: +49-40-88899-6954
· Emergency telephone number:	Reception Headquarters tesa SE, Hugo-Kirchberg-Str. 1, 22848 Norderstedt, Germany Phone: +49 40 88899 2667 (Mon.-Thurs. 07:00-18:00h, Fr. 07:00-15:00h)

* 2 Hazard(s) identification

· Classification of the substance or mixture	The product is not classified, according to the Globally Harmonized System (GHS).
· Label elements	
· GHS label elements	The product is classified and labeled according to the CLP regulation.
· Hazard pictograms	Void
· Signal word	Void
· Hazard statements	Void
· Classification system	
· NFPA ratings (scale 0-4)	 Health = 0 Fire = 0 Reactivity = 0
· HMIS ratings (scale 0-4)	 Health = 0 Fire = 0 Reactivity = 0
· Other hazards	The product contains no elutable organic halogens, which will increase the AOX-values of the waste water. The product does not contain organically bound halogen compounds (AOX), nitrates, heavy metal compounds (sum below 100 ppm) and formaldehyde.
· Results of PBT and vPvB assessment	
· PBT:	Not applicable.
· vPvB:	Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures	
· Description:	Release layer: silicone base Carrier: Aluminum Foil Adhesive: Polyacrylate
· Dangerous components:	Void
· Additional information	The wording of the listed hazard statements can be found in section 16.

4 First-aid measures

· Description of first aid measures	
· General information	No special measures required.

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/19/2023

Reviewed on 02/19/2023

Trade name tesa 60630, 60650, 60670, 63632 Self Wound Aluminium Foil Tape

(Contd. of page 1)

· After inhalation	Void
· After skin contact	The product is not irritating to the skin. Rinse with warm water.
· After eye contact	Void
· After swallowing	Void
· Information for doctor	
· Most important symptoms and effects, both acute and delayed	No further relevant information available.
· Indication of any immediate medical attention and special treatment needed	No further relevant information available.

* 5 Fire-fighting measures

· Extinguishing media	
· Suitable extinguishing agents	Use fire fighting measures that suit the environment.
· For safety reasons unsuitable extinguishing agents	Water with a full water jet.
· Special hazards arising from the substance or mixture	In the event of a fire may be released: Nitrogen oxides (NOx) Carbon monoxide (CO) Carbon dioxide (CO2) Under certain fire conditions, traces of other toxic substances cannot be excluded.
· Advice for firefighters	
· Protective equipment:	Put on breathing apparatus. Do not inhale explosion gases or combustion gases.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures	Not required.
· Environmental precautions:	No special measures required.
· Methods and material for containment and cleaning up:	Collect mechanically.
· Reference to other sections	No dangerous materials are released. See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.
· Protective Action Criteria for Chemicals	

· PAC-1:
None of the ingredients is listed.

· PAC-2:
None of the ingredients is listed.

· PAC-3:
None of the ingredients is listed.

7 Handling and storage

· Handling	
· Precautions for safe handling	No special measures required.

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/19/2023

Reviewed on 02/19/2023

Trade name tesa 60630, 60650, 60670, 63632 Self Wound Aluminium Foil Tape

(Contd. of page 2)

- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with critical values that require monitoring at the workplace:**
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves** Suitability and resistance of a glove depend on the conditions of use, such as frequency and duration of contact, chemical resistance of the glove material, thickness and fit of the gloves. As a general rule, the glove manufacturer should be consulted for the necessary information. Contaminated or damaged gloves should be replaced immediately.
- **Penetration time of glove material** The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
- **Eye protection:** Not required.

* 9 Physical and chemical properties

- | | |
|--|------------------|
| · Information on basic physical and chemical properties | |
| · General Information | |
| · Appearance: | |
| Form: | Solid. |
| Colour: | Silver grey |
| Smell: | Nearly odourless |
| Odor threshold: | Not determined. |
| · pH-value: Not applicable. | |
| · Change in condition | |
| Melting point/Melting range: | Not determined |
| Boiling point/Boiling range: | Not determined |
| · Flash point: Not applicable | |
| · Inflammability (solid, gaseous) Not determined. | |
| · Decomposition temperature: Not determined. | |

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/19/2023

Reviewed on 02/19/2023

Trade name tesa 60630, 60650, 60670, 63632 Self Wound Aluminium Foil Tape

(Contd. of page 3)

· Self-inflammability:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive.
· Critical values for explosion: Lower:	Not determined.
Upper:	Not determined.
· Steam pressure:	Not applicable.
· Density	Not determined
· Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	Unsoluble
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity: dynamic:	Not applicable.
kinematic:	Not applicable.
· Solvent content: Organic solvents:	Residual solvent content in tape: much smaller than 0,1 weight-%
Solids content:	100.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity	No further relevant information available.
· Chemical stability	
· Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
· Possibility of hazardous reactions	No dangerous reactions known
· Conditions to avoid	No further relevant information available.
· Incompatible materials:	No further relevant information available.
· Hazardous decomposition products:	No dangerous decomposition products known

* 11 Toxicological information

· Information on toxicological effects	
· Acute toxicity:	
· Primary irritant effect: on the eye:	No irritant effect.
· Sensitization:	No sensitizing effect known.
· Additional toxicological information:	The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/19/2023

Reviewed on 02/19/2023

Trade name tesa 60630, 60650, 60670, 63632 Self Wound Aluminium Foil Tape

(Contd. of page 4)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· Behaviour in environmental systems:

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· Additional ecological information:

· **According to recipe contains the following heavy metals and compounds according to EC guideline NO. 76/464 EC:**

free of heavy metals (Pb, Cd, Hg, Cr6+)

Free of Polybrominated Biphenyls (PBBs) and Polybrominated Diphenyl Ethers (PBDEs) according to RoHS Directive.

Generally not hazardous for water.

· General notes:

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

* 13 Disposal considerations

· Waste treatment methods

· Recommendation

Smaller quantities can be disposed with household garbage.

Energy recovery: The product can be applied to a suitable waste incineration plant for mixed waste.

Energy recovery by incineration in an approved waste incineration plant.

Consider the applicable regulations of the country, the State or local area.

For larger amounts of waste: consult the authorities prior the disposal.

· Uncleaned packagings:

Void

· Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

14 Transport information

· UN-Number

· DOT, ADR, ADN, IMDG, IATA

Void

· UN proper shipping name

· DOT, ADR, ADN, IMDG, IATA

Void

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/19/2023

Reviewed on 02/19/2023

Trade name tesa 60630, 60650, 60670, 63632 Self Wound Aluminium Foil Tape

(Contd. of page 5)

· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

* 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Hazardous Air Pollutants

None of the ingredients is listed.

· Cancerogenity categories

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations avoids

· Additional classification according to Decree on Hazardous Materials, Annex II:

Void

· Information about limitation of use: Void

· Decree to be applied in case of technical fault:

Void

· Other regulations, limitations and prohibitive regulations

· SARA Section 313

-

· SARA section 355

-

· Proposition 65 - Cancer

-

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/19/2023

Reviewed on 02/19/2023

Trade name tesa 60630, 60650, 60670, 63632 Self Wound Aluminium Foil Tape

(Contd. of page 6)

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This product (this product group) is not a hazardous substance in the sense of the currently valid GefStoffV. This safety data sheet is therefore not subject to the automatic amendment service according to GefStoffV § 6 para. 1.

· **Department issuing data
specification sheet:**

tesa SE, Corporate Regulatory Affairs

· **Contact:**

tesa SE, Corporate Regulatory Affairs, Email: SDS@tesa.com, Tel.: +4940-88899-0

· **Date of preparation / last revision**

02/19/2023

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

· *** Data compared to the previous
version altered.**