



tesa® 54889 SteamGuard

Product Information

Precision Die Cut for Steam and Vapor Protection

Product Features

- Excellent protection of the surface from vapor and steam
- High transparency for a secure and subtle application
- Secure adhesion to various materials

tesa® 54889 combines a strong polyester backing with a powerful acrylic adhesive. The PET layer serves as an excellent barrier against steam and vapor, protecting the surface which the die cut is adhered to. tesa® 54889 is used in the appliance industry and is especially suited for protecting countertops from the steam and vapor produced by dishwashers and ovens.

Application Fields

- tesa® 54889 is used in the appliance industry and is especially suited for protecting countertops from the steam and vapor produced by dishwashers and ovens.

Product Construction

- | | | | |
|--------------------|------------------|--------------------|----------|
| • Type of adhesive | modified acrylic | • Backing material | PET film |
| • Total thickness | 236 µm | | |

Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit
<http://l.tesa.com/?ip=54889>