

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.03.2019

Version number 28

Revision: 13.03.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name** tesa 60152

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture**

Coating material
 Priming
 Intermediate

· **1.3 Manufacturer/Supplier:**

tesa SE
 Hugo-Kirchberg-Strasse 1
 D-22848 Norderstedt
 Germany

Tel.: +49-40-88899-101

· **Informing department:**

tesa SE, quality management/environment/occupational safety, Dr. Dirk Lamm
 Dirk.Lamm@tesa.com, Tel.: +49-40-88899-2977

· **1.4 Emergency telephone number:**

tesa SE, Hugo-Kirchberg-Str. 1, D-22848 Norderstedt
 Security Center Phone +49-40-88899-0
 or +49-40-88899-9111

UNITED KINGDOM:

The UK National Poisons Emergency number is 0870 600 6266

London:

Emergency 24 hour telephone: +44 (0)20 7188 0100

Guy's & St Thomas' Poisons Unit

Medical Toxicology Information Services

Mary Sheridan House, Guy's Hospital, Great Maze Pond, London SE1 9RT

Deutschland:

Giftinformationszentrum-Nord (GIZ-Nord)

Pharmakologisch-toxikologisches Servicezentrum im Zentrum Pharmakologie und

Toxikologie der Universitätsmedizin Göttingen,

Georg-August-Universität, Göttingen

Tel: 0551/19240 (24-Stunden erreichbar)

Tel: 0551/383180 (für medizinisches Fachpersonal)

Oesterreich, Wien (Vienna):

Vergiftungsinformationszentrale (Poisons Information Centre)

Allgemeines Krankenhaus Waehringer Geurtel 18-20, Vienna 1090

Telephone: +43 1 40 400 2222

Fax: +43 1 40 400 4225

E-mail: viz@meduniwien.ac.at

Web site: www.giftinfo.org

Schweiz, Zurich:

Centre Suisse d'Information Toxicologique

(Swiss Toxicological Information Centre)

Freiestrasse 16, CH-8032 Zurich

Telephone: +41 44 251 66 66

Emergency telephone: +41 44 251 51 51 (145 from within Switzerland and Liechtenstein)

Fax: +41 44 252 88 33

E-mail: info@toxi.ch

Web site: http://www.toxi.ch

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.03.2019

Version number 28

Revision: 13.03.2019

Trade name tesa 60152

(Contd. of page 1)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS02



GHS07



GHS08



GHS09

- Signal word

Danger

- Hazard-determining components of labelling:

- Hazard statements

64742-49-0 Naphtha (petroleum), hydrotreated light (Note P)

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

- Precautionary statements

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P301+P310

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321

Specific treatment (see on this label).

P331

Do NOT induce vomiting.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P362+P364

Take off contaminated clothing and wash it before reuse.

P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards

The preparation contains no eluable organic halogene compounds, which increases the AOX values

- Results of PBT and vPvB assessment

- PBT:

Not classified

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2019

Version number 28

Revision: 13.03.2019

Trade name tesa 60152

(Contd. of page 2)

 · **vPvB:** Not classified

* SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

 · **Description:** Solvent mixture with additives.

Dangerous components:

EINECS: 265-151-9 Reg.nr.: 01-2119486291-36-xxxx	64742-49-0 Naphtha (petroleum), hydrotreated light (Note P) ⚠ Flam. Liq. 2, H225 ⚠ Asp. Tox. 1, H304 ⚠ Aquatic Chronic 2, H411 ⚠ Skin Irrit. 2, H315; STOT SE 3, H336	<50%
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-XXXX	ethanol ⚠ Flam. Liq. 2, H225	<50%

 · **SVHC** Free of any SVHC substances or < 0.1 %

 · **Regulation (EC) No 648/2004 on
detergents / Labelling for contents**

not applicable

 · **Additional information**

For the wording of the listed hazard phrases refer to section 16.

* SECTION 4: First aid measures

4.1 Description of first aid measures
General information

Instantly remove any clothing soiled by the product.

After inhalation

In case of unconsciousness bring patient into stable side position for transport.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eyes for several minutes under running water.

After swallowing

In case of persistent symptoms consult physician.

**4.2 Most important symptoms and
effects, both acute and delayed**

May cause drowsiness.

**4.3 Indication of any immediate
medical attention and special
treatment needed**

No further relevant information available.

* SECTION 5: Firefighting measures

5.1 Extinguishing media
Suitable extinguishing agents

 CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

**For safety reasons unsuitable
extinguishing agents**

Water with a full water jet.

**5.2 Special hazards arising from the
substance or mixture**

Can be released in case of fire:

 Nitrogen oxide (NO_x)

Carbon monoxide (CO)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

5.3 Advice for firefighters
Protective equipment:

Put on breathing apparatus.

Do not inhale explosion gases or combustion gases.

* SECTION 6: Accidental release measures

**6.1 Personal precautions, protective
equipment and emergency
procedures**

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.03.2019

Version number 28

Revision: 13.03.2019

Trade name tesa 60152

(Contd. of page 3)

· **6.2 Environmental precautions:**



Prevent product from reaching sewage system or water bodies.

Prevent material from reaching sewage system, holes and cellars.
Inform responsible authorities in case of spilling into water or sewage system.

· **6.3 Methods and material for containment and cleaning up:**

Apply absorbing material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

*** SECTION 7: Handling and storage**

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:**



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Handle only outside or in explosion protected rooms.

Fumes can combine with air to form an explosive mixture.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and containers:**

Store in cool location.

Storage location and storage conditions must comply with the rules for handling and storage of substances and preparations of the WGK 3. Any site-specific regulatory requirements must be fulfilled.

· **Information about storage in one common storage facility:**

void
void

· **Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Store only outside or in explosion proof rooms.

Storing flammable liquids the National regulations have to be fulfilled!

· **Storage class**

3 (flammable liquids)

· **7.3 Specific end use(s)**

No further relevant information available.

*** SECTION 8: Exposure controls/personal protection**

· **Additional information about design of technical systems:**

No further data; see item 7.

· **8.1 Control parameters**

· **Components with critical values that require monitoring at the workplace:**

64-17-5 ethanol

WEL | Long-term value: 1920 mg/m³, 1000 ppm

· **Additional information:**

The lists that were valid during the compilation were used as basis.

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2019

Version number 28

Revision: 13.03.2019

Trade name tesa 60152

(Contd. of page 4)

- 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any contaminated garments.

Wash hands before breaks and at the end of the work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Breathing equipment:

filter A



In case of short term exposure use respiratory protection. In case of intensive or longer exposure use respiratory protection equipment independent from ambient air.

- Protection of hands:



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

Polyethylene
use solvent stable gloves.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:

Safety glasses recommended during refilling.



Safety glasses

- Body protection:

Protective work clothing.

* SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Appearance:

Form: Liquid

Colour: Colourless

- Smell: Characteristic

- Odour threshold: Not determined.

- pH-value: Not determined.

- Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 60 °C

- Flash point: -25 °C

- Inflammability (solid, gaseous) Not applicable.

- Ignition temperature: 245 °C

- Decomposition temperature: Not determined.

- Self-inflammability: Product is not selfigniting.

- Explosive properties: Product is not explosive. However, formation of explosive air/steam mixtures is possible.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.03.2019

Version number 28

Revision: 13.03.2019

Trade name tesa 60152

(Contd. of page 5)

· Critical values for explosion:	
Lower:	1 Vol %
Upper:	15 Vol %
· Steam pressure at 20 °C:	350 hPa
· Density	Not determined
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
· Solvent content:	
Organic solvents:	90.0 %
Solids content:	10.0 %
· 9.2 Other information	No further relevant information available.

* SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

* SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

64742-49-0 Naphtha (petroleum), hydrotreated light (Note P)

Oral	LD50	2,000 mg/kg (Rat)
Dermal	LD50	4,000 mg/kg (Rabbit)
Inhalative	LC50/ 4 h	54 mg/l (Rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.03.2019

Version number 28

Revision: 13.03.2019

Trade name tesa 60152

(Contd. of page 6)

· **Aspiration hazard** May be fatal if swallowed and enters airways.

*** SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **According to recipe contains the following heavy metals and compounds according to EC guideline NO. 76/464 EC:** Free of heavy metals (Pb, Cd, Hg, Cr6+)
Free of Polybrominated Biphenyls (PBBs) and Polybrominated Diphenyl Ethers (PBDEs) according to RoHS Directive.
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Water danger class 3 (Self-assessment): extremely hazardous for water.
Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into soil.
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

*** SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

· European waste catalogue (recommendation)	
08 04 99	wastes not otherwise specified
HP 3	Flammable
HP 4	Irritant - skin irritation and eye damage
HP 5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP 14	Ecotoxic

- **Additional information about the European waste catalogue:** The assignment of a waste key number according to EC Decision 2000/532/EC in connection with EU Directive 75/442/EC has to follow specific industry requirements. The above mentioned classification is only one possible proposal.
- **Uncleaned packagings:**
- **Recommendation:** Disposal according to official regulations.

*** SECTION 14: Transport information**

· 14.1 UN-Number	
· ADR, IMDG, IATA	UN1993

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31




Printing date 13.03.2019

Version number 28

Revision: 13.03.2019

Trade name tesa 60152

(Contd. of page 7)

· 14.2 UN proper shipping name · ADR · IMDG · IATA	FLAMMABLE LIQUID, N.O.S. (64742-49-0 Naphtha (petroleum), hydrotreated light (Note P), ETHANOL (ETHYL ALCOHOL)), ENVIRONMENTALLY HAZARDOUS, (vapour pressure at 50°C not more than 110 kPa) FLAMMABLE LIQUID, N.O.S. (64742-49-0 Naphtha (petroleum), hydrotreated light (Note P), ETHANOL (ETHYL ALCOHOL)), MARINE POLLUTANT FLAMMABLE LIQUID, N.O.S. (64742-49-0 Naphtha (petroleum), hydrotreated light (Note P), ETHANOL)
· 14.3 Transport hazard class(es) · ADR  · Class · Label	3 (F1) Flammable liquids. 3
· IMDG  · Class · Label	3 Flammable liquids. 3
· IATA  · Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR):	Product contains environmentally hazardous substances: 64742-49-0 Naphtha (petroleum), hydrotreated light (Note P) Yes Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user · Page: · EMS Number: · Stowage Category	Warning: Flammable liquids. 33 F-E, <u>S-E</u> B
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information: · ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.03.2019

Version number 28

Revision: 13.03.2019

Trade name tesa 60152

(Contd. of page 8)

· Transport category	2
· Tunnel restriction code	D/E
<hr/>	
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (VAPOUR PRESSURE AT 50°C NOT MORE THAN 110 KPA) (64742-49-0 NAPHTHA (PETROLEUM), HYDROTREATED LIGHT (NOTE P), ETHANOL (ETHYL ALCOHOL)), 3, II, ENVIRONMENTALLY HAZARDOUS

*** SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - Directive 2012/18/EU
 - Named dangerous substances - ANNEX I
 - Seveso category
 - Qualifying quantity (tonnes) for the application of lower-tier requirements
 - Qualifying quantity (tonnes) for the application of upper-tier requirements
 - REGULATION (EC) No 1907/2006 ANNEX XVII
 - National regulations
 - Information about limitation of use:
 - Decree to be applied in case of technical fault:
 - Technical instructions (air):
 - Water hazard class:
 - 15.2 Chemical safety assessment:
- None of the ingredients is listed.
E2 Hazardous to the Aquatic Environment
P5c FLAMMABLE LIQUIDS
- 200 t
500 t
- Conditions of restriction: 3
- Employment restrictions concerning young persons must be observed.
- Critical quantity values according to the regulations on accidents should be adhered to.
- | Class | Share in % |
|-------|------------|
| III | 45.0 |
| NK | 45.0 |
- Water danger class 3 (Self-assessment): extremely hazardous for water.
A Chemical Safety Assessment has not been carried out.

*** SECTION 16: Other information**

- This data is based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
- Relevant phrases
 - Department issuing data specification sheet:
 - Contact:
- H225 Highly flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.
- tesa SE, Quality Management/Environment/Safety
tesa SE: Dr. D. Lamm, Phone: +49-40-88899-2977, Email: dirk.lamm@tesa.com
tesa SE: Dr. A. Koeth, Phone: +49-40-88899-3938, Email: anja.koeth@tesa.com

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.03.2019

Version number 28

Revision: 13.03.2019

Trade name tesa 60152

(Contd. of page 9)

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Skin Irrit. 2: Skin corrosion/irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· * Data compared to the previous version altered.

GB
