



tesa[®] Signal Non Adhesive

Product Information



BNR 58133, 58137, 58134

Product Description

tesa[®] Signal tape non-adhesive is a Polypropylene tape that is ideal marking tape for obstacles and hazardous areas.

Product Features

- PE film
- For marking temporary obstacles and hazard areas
- Printed on both sides
- Rub-resistant ink
- UV-resistant (3 months)
- Non-adhesive

Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

Product Construction

- | | | | |
|--------------------|------|-------------------|-------|
| • Backing | PE | • Total thickness | 30 µm |
| • Type of adhesive | none | | |

Properties/Performance Values

- | | | | |
|-----------------------|----------------------|-----------------------------|-------------------|
| • Tensile strength | 8 N/cm | • Material | PE (polyethylene) |
| • Applicationfield | Home, Garden, Office | • Residue-free removability | yes |
| • Batteries included | no | • Solvent free | yes |
| • Batteries required | no | • Tear resistance | no |
| • Hand tearability | no | • Tensibility | 100 % |
| • Hazard material | no | • Writable | no |
| • Low noise unwinding | yes | | |



tesa[®] Signal Non Adhesive

Product Information

Disclaimer

tesa[®] products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa[®] product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?cp=NaN>