

Page 1/8

Tel.: +49-40-88899-101

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2019 Version number 109 Revision: 13.03.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name tesa Alleskleber / All purpose glue tesa 57007, 57012, 57013, 57015 · Article number:

· 1.2 Relevant identified uses of the substance or mixture and uses

advised against

· Application of the substance / the

mixture

· 1.3 Manufacturer/Supplier:

tesa SE Hugo-Kirchberg-Strasse 1

D-22848 Norderstedt

Germany

Adhesives

· Informing department: tesa SE, quality management/environment/occupational safety, Dr. Dirk Lamm

No further relevant information available.

Dirk.Lamm@tesa.com, Tel.: +49-40-88899-2977

· 1.4 Emergency telephone number: tesa SE, Hugo-Kirchberg-Str. 1, D-22848 Norderstedt

> Security Center Phone +49-40-88899-0 or +49-40-88899-9111

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

· Hazard pictograms

The product is classified and labelled according to the CLP regulation.





GHS02

· Signal word Danger

· Hazard-determining components of

labelling: acetone

· Hazard statements H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness. · Precautionary statements P101 If medical advice is needed, have product container or label at

> hand. Keep out of reach of children.

P102 P103 Read label before use.

Keep away from heat, hot surfaces, sparks, open flames and P210

other ignition sources. No smoking.

Use explosion-proof [electrical/ventilating/lighting] equipment. P241

(Contd. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2019 Version number 109 Revision: 13.03.2019

Trade name tesa Alleskleber / All purpose glue

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P405 Store locked up.

Dispose of contents/container in accordance with local/ P501

regional/national/international regulations.

· 2.3 Other hazards The preparation contains no elualable organic halogene compounds, which

increases the AOX values

· Results of PBT and vPvB assessment

· PBT: Not classified · vPvB: Not classified

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Solution of Polyvinylacetate in: Solution of Polyvinylacetate

· Dangerous components:		
CAS: 67-64-1 EINECS: 200-662-2 Reg.nr.: 01-2119471330-49-XXXX	Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	<50%
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-XXXX	♠ Flam. Liq. 2, H225	<25%

· SVHC Free of any SVHC substances or < 0.1 %

· Regulation (EC) No 648/2004 on

detergents / Labelling for contents not applicable

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information Instantly remove any clothing soiled by the product. · After inhalation Supply fresh air; consult physician in case of symptoms. · After skin contact Instantly wash with water and soap and rinse thoroughly.

· After eye contact Rinse opened eye for several minutes under running water. If symptoms persist,

Condition may deteriorate with alcohol consumption.

consult doctor.

· After swallowing In case of persistent symptoms consult physician.

· 4.2 Most important symptoms and

effects, both acute and delayed

Dazedness

May cause drowsiness.

· 4.3 Indication of any immediate

medical attention and special

treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Danger

· Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-

resistant foam.

· 5.2 Special hazards arising from the

substance or mixture Can be released in case of fire:

Nitrogen oxide (NOx) Carbon monoxide (CO)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

(Contd. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2019 Version number 109 Revision: 13.03.2019

Trade name tesa Alleskleber / All purpose glue

(Contd. of page 2)

· 5.3 Advice for firefighters

• **Protective equipment:** Put on breathing apparatus.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective

equipment and emergency

procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:



Prevent material from reaching sewage system, holes and cellars.

Dilute with much water.

· 6.3 Methods and material for containment and cleaning up:

Apply absorbing material (sand, diatomite, acid binders, universal binders,

sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

• 6.4 Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure that suitable extractors are available on processing machines

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Handle only outside or in explosion protected rooms. Fumes can combine with air to form an explosive mixture.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: Store in cool location.

· Information about storage in one

common storage facility:

void void

· Further information about storage

conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers. Store only outside or in explosion proof rooms.

Storing flammable liquids the Nationonal regulations have to be fulfilled!

Storage class
 3 (flammable liquids)

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design

of technical systems: No further data; see item 7.

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2019 Version number 109 Revision: 13.03.2019

Trade name tesa Alleskleber / All purpose glue

(Contd. of page 3)

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

67-64-1 acetone

WEL | Short-term value: 3620 mg/m³, 1500 ppm Long-term value: 1210 mg/m³, 500 ppm

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Personal protective equipment

· General protective and hygienic

measures

The usual precautionary measures should be adhered to in handling the

chemicals.

Keep away from foodstuffs, beverages and food. Instantly remove any contaminated garments. Wash hands before breaks and at the end of the work.

Avoid contact with the eyes.

· Breathing equipment: In case of short term exposure use respiratory protection. In case of

intensive or longer exposure use respiratory protection equipment

independent from ambient air.

· Protection of hands: Not required.

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

· Material of gloves use solvent stable gloves.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

· Eye protection: Safety glasses recommended during refilling.

Safety glasses

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid Colour: Transparent · Smell: Acetone-like · Odour threshold: Not determined. · pH-value: Not determined.

· Change in condition

Melting point/freezing point: Not determined Initial boiling point and boiling range: 55.8-56.6 °C

· Flash point: -19 °C

(Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2019 Version number 109 Revision: 13.03.2019

Trade name tesa Alleskleber / All purpose glue

(Contd. of page 4)

	(Contd. of page 4)
· Inflammability (solid, gaseous)	Not applicable.
· Ignition temperature:	425 °C
· Decomposition temperature:	Not determined.
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/steam mixtures is possible.
· Critical values for explosion:	
Lower:	2.6 Vol %
Upper:	15 Vol %
· Steam pressure at 20 °C:	247 hPa
· Density at 20 °C	0.80556 g/cm ³
	Not determined
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Soluble
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic at 20 °C:	6,000 mPas
kinematic:	Not determined.
· Solvent content:	
Organic solvents:	62.5 %
Water:	5.0 %
Solids content:	32.5 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions

to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.
 No further relevant information available.

· 10.6 Hazardous decomposition

products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Causes serious eye irritation.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

(Contd. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2019 Version number 109 Revision: 13.03.2019

Trade name tesa Alleskleber / All purpose glue

(Contd. of page 5)

• STOT-single exposure May cause drowsiness or dizziness.

• STOT-repeated exposure
• Aspiration hazard

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:
 12.2 Persistence and degradability
 12.3 Bioaccumulative potential
 12.4 Mobility in soil
 No further relevant information available.
 No further relevant information available.
 No further relevant information available.

12.4 Mobility in soilAdditional ecological information:

 According to recipe contains the following heavy metals and compounds according to EC guideline NO. 76/464 EC:

Free of heavy metals (Pb, Cd, Hg, Cr6+)

Free of Polybrominated Biphenyls (PBBs) and Polybrominated Diphenyl Ethers

(PBDEs) according to RoHS Directive.

• General notes: Do not allow undiluted product or large quantities of it to reach ground water,

water bodies or sewage system.

Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

· European waste catalogue (recommendation)		
08 04 09*	08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances	
HP 3	Flammable	
HP 4	HP 4 Irritant - skin irritation and eye damage	
HP 5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity	

· Additional information about the

European waste catalogue: The assignment of a waste key number according to EC Decision 2000/532/EC in

connection with EU Directive 75/442/EC has to follow specific industry requirements. The obove mentioned classification is only one possible proposal.

· Uncleaned packagings:

• **Recommendation:** Disposal according to official regulations.

empty bottle totaly

· Recommended cleaning agent: Water, if necessary with cleaning agent.

Acetone iso-Propanole Ethanole

SECTION 14: Transport information

· 14.1 UN-Number

· ADR, IMDG, IATA UN1133

(Contd. on page 7)



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2019 Version number 109 Revision: 13.03.2019

Trade name tesa Alleskleber / All purpose glue

(Contd. of page 6)

· 14.2 UN proper shipping name· ADR	ADHESIVES, (vapour pressure at 50°C not more than 110 kPa)
· IMDG, IATA	ADHESIVES
· 14.3 Transport hazard class(es)	

· ADR



· Class 3 (F1) Flammable liquids. · Label

· IMDG, IATA



3	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group · ADR, IMDG, IATA	II
14.5 Environmental hazards:Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Flammable liquids.
· Page:	33
· EMS Number:	F-E,S-D
· Stowage Category	В
· 14.7 Transport in bulk according to Annex and the IBC Code	II of Marpol Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
·IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1133 ADHESIVES (VAPOUR PRESSURE AT 50°C NOT MORE THAN 110 KPA), 3, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances -

ANNEX I

None of the ingredients is listed.



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2019 Version number 109 Revision: 13.03.2019

Trade name tesa Alleskleber / All purpose glue

(Contd. of page 7)

· Seveso category · Qualifying quantity (tonnes) for the

application of lower-tier

requirements 5.000 t Qualifying quantity (tonnes) for the

application of upper-tier

requirements

· REGULATION (EC) No 1907/2006

ANNEX XVII

Conditions of restriction: 3

P5c FLAMMABLE LIQUIDS

National regulations

· Additional classification according to Decree on Hazardous Materials.

Carcinogenic hazardous material group III (dangerous)

· Information about limitation of use: Employment restrictions concerning young persons must be observed.

· Decree to be applied in case of

technical fault:

Annex III:

Critical quantity values according to the regulations on accidents should be

adhered to.

50,000 t

· Technical instructions (air):

Class | Share in % Ш 62.7

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This data is based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Relevant phrases H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Department issuing data

specification sheet:

tesa SE, Quality Management/Environment/Safety

Contact: tesa SE: Dr. D. Lamm, Phone: +49-40-88899-2977, Email: dirk.lamm@tesa.com

tesa SE: Dr. A. Koeth, Phone: +49-40-88899-3938, Email: anja.koeth@tesa.com

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement · Abbreviations and acronyms:

concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

 * Data compared to the previous version altered.