



tesa[®] Roller Permanent Glue ecoLogo[®], Refillable



Product Information

BNR 59151, 59100, 59110, 59606, 59156

Product Description

The tesa[®] Roller Permanent Gluing ecoLogo[®] is the convenient way to apply a precisely defined strip of glue for reliable and durable adhesion.

Product Features

- Strong adhesion
- Improved functionality due to optimised tip
- Clean, fast and permanent bonding
- Glues paper, cardboard, photos
- Reddish glue shows where adhesive has been applied
- Tear-resistant backing (PET)
- Solvent-free
- 100% recycled plastic (housing), refill 61% recycled plastic (without tape)
- Packaging: 80% recycled cardboard, blister without PVC

Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

Product Construction

- Type of adhesive acrylic

Properties/Performance Values

- | | | | |
|-------------------------|---------------|--|---------------------------------------|
| • Adhesive strength | High adhesion | • Material | Recycled PS (polystyrene) |
| • Applicationfield | Home, Office | • Residue-free removability | no |
| • Batteries included | no | • Reusable | yes |
| • Batteries required | no | • Solvent free | yes |
| • Chemical Resistance | no | • Suitable for right and/or left handers | For right and left hander |
| • Ecofriendly packaging | yes | • Suitable surfaces | Paper, Cardboard, Most plastic, Glass |
| • Hazard material | no | • Writable | no |
| • Humidity resistance | no | | |



tesa[®] Roller Permanent Glue ecoLogo[®], Refillable

Product Information

Disclaimer

tesa[®] products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa[®] product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?cp=NaN>