

tesa[®] Powerstrips Waterproof Duo Hook, Metal



Product Information

BNR 59710

Product Description

Use the self-adhesive Duo Hook Metal as an elegant bathroom hanging solution to keep your shower wiper and body care utensils within the shower.

Product Features

- · Easy to mount without drilling, screws or nails
- Strong hold up to 3 kg
- Removable without a trace due to the Powerstrips[®] Waterproof technology
- Made from stainless steel
- Usable on tiles, glass, etc. in humid rooms or directly in the shower*
- Especially developed for wet areas (e.g. shower, bath tub etc.)
- · Ideal to hold a shower wiper but to be used as duo hook for sponges, towels, etc. as well
- Reusable with tesa Powerstrips® Waterproof

*Not suitable for use on styrofoam, foamed material, surfaces with non-stick coating, porous material

Application Fields

How to apply 1. Clean the surface with alcohol or silicone-free glass cleaner

2. Take the included waterproof primer tissue and wipe over the surface for bonding preperation - wait for 10 seconds minimum

- 3. Apply the Powerstrip Waterproof Large strip on the surface press for 5 seconds minimum
- 4. Disengage the base plate of the hook and stick it onto the strip press for 5 seconds minimum
- 5. Let the hook slide down on the base plate until it is locked

Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

Product Construction

- Type of adhesive
 - synthetic rubber Holding power up to 3 Kg
- Hook shape
- Silicone free

Rectangular ves

For latest information on this product please visit http://l.tesa.com/?cp=NaN



tesa® Powerstrips Waterproof Duo Hook, Metal

Product Information

Properties/Performance Values

 Application temperature from Application temperature to Applicationfield Area of use 	-15 °C 35 °C Bathroom, Kitchen Indoor	Residue-free removabilityReusableReusable with	yes yes Powerstrips Waterproof Large
Batteries included	no	Solvent free	yes
Batteries required	no	Suitable surfaces	Even wood, Tiles,
Chemical Resistance	no		Most plastics, Glass,
 Hazard material 	yes		Acrylic glass, Steel,
Humidity sealing	yes		Metal
Material	Stainless steel	Temperature resistance	yes
 Oil and grease resistance 	no	Temperature resistance max.	35 °C
Ozone resistance	no	Temperature resistance min.	15 °C
		UV resistant	no
		Water resistance	yes

Waterproof

yes

Disclaimer

tesa[®] products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa[®] product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.

